

Ref #	Hits	Search Query	DBs	Default Operat or	Plura ls	Time Stamp
L5	18	data and Yonemaru.in	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 18:55
L6	1	("2000332598").PN.	JPO	OR	OFF	2005/07/20 18:55
L7	1	("2000332598").PN.	DERWENT	OR	OFF	2005/07/20 18:59
L8	2	("20020057111").PN.	US-PGP UB; DERWENT	OR	OFF	2005/07/20 18:59
L9	29025	gate adj array	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 19:11
L10	1039	L9 and nmos and pmos	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 19:11

L11	597	L10 and series	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L12	97	L11 and @pd>"19961029" and soi	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L13	485	L11 and @pd>"19961029" and (body potential or back gate)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L14	36017	gate adj.array	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/20 19:11
L15	536	L14 and soi	US-PGP UB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/20 19:11
L16	2	(jp-2000332598-\$ US-6337583-\$ or jp-07130856-\$ US-5581202-\$).did	DERWEN T	OR	OFF	2005/07/20 19:11

L17	29025	gate adj array	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L18	41	L17 and nmos.near3.pmos and nmos.near3.series and pmos.near3.series	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L19	1	("20040140483").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/20 19:11
L20	1	L18 and L19	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11
L21	41	L18 and series	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 19:11
L22	4	(("5187483") or ("5237184") or ("6559700") or ("6636073")).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/20 19:11
L23	2	L22 and series	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11
L24	6	yonemaru.in. and series	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11

L25	98	cmos near3 pass adj transistor and series	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11
L26	3545	((257/204,206,208) or (326/102,104,112-115) or (708/704,706,708) or (716/14,16,17)).CCLS.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/20 19:11
L27	2	(("2000332598") or ("7130856")).PN.	JPO; DERWENT	OR	OFF	2005/07/20 19:11
L28	2	(("2000332598") or ("6621306")).PN.	US-PGP UB; USPAT; DERWENT	OR	OFF	2005/07/20 19:11
L29	1	jp-07130856-\$ did.	JPO; DERWENT	OR	OFF	2005/07/20 19:11
L30	4	(("5581202") or ("6621306")).PN.	US-PGP UB; USPAT; DERWENT	OR	OFF	2005/07/20 19:11
L31	2	(("5581202") or ("6621306")).PN.	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11
L32	2	L31 and pmos and nmos	US-PGP UB; USPAT	OR	OFF	2005/07/20 19:11